

Property Name	Type	Allowable Value	Comment
<i>Locator Database (RCDatabase)</i>	List	Each record contains: Category, SQL Port, SQL Script Index, etc.	This item is a manifest of the locator database and contents are editable via this property.
<i>Update Schedule (RCSchedule)</i>	Char	0=ADS own schedule, 1= Custom schedule, 2=No scheduled update.	ADS schedule is a special custom schedule that has been fine tuned for airline. The Custom schedule allows the System Administrator to create his/her own schedule. No Schedule is used to disable the schedule update. The update is always on-demand. When Custom is chosen, a separate property describing timetable items is available for modification.
<i>Update All (RCUpdateAll)</i>	Bool	<i>True or False. Default: False</i>	This field, if it is true, will instruct the Retriever to update all the sports scores. This property is used along with the On-Demand Update Method.
<i>Update List (RCUpdateList)</i>	Bool	<i>True or False. Default: False</i>	This field, if it is true, will instruct the Retriever to update the sports scores based on List describing below. This property is used along with the On-Demand Update Method and is mutually exclusive with <i>RCUpdateAll</i> .
<i>Category List (RCCatList)</i>	List	Examples are <i>General Sports News, Major League Baseball, National Baseball Association, Men's College Basketball, Women's College Basketball, National Football League, College Football, National Hockey League, etc.</i>	This property describes the sports scores items for retrieval. Each Sports Scores item contains its own property. This property is valid only if <i>RCUpdateList</i> is <i>true</i> .

TABLE 3-RETRIEVER CONTROL PROPERTY FOR SERVER

Method Name	Comment
<i>Update Property</i> ( <i>SMUpdateP</i> )	This method allows the Admin SS to activate the properties specified in Section 5.1.1.1.
<i>Update All</i> ( <i>SMUpdate</i> )	This privileged method is used to update all the sports scores records against the Cached Database on GDG. The associated property is described in Section 5.1.1.2.
<i>Update List</i> ( <i>SMUpdateList</i> )	This method, combined with the property described in Section 5.1.1.2, is used to update only the records specified on the list.

TABLE 4—SERVER SIZE METHODS FOR SPORTS SCORES API

FIG.20

Method Name	Comment
<i>Update List</i> ( <i>CMUpdateList</i> )	This method, combined with the property described in Section 5.1.1.2, is used to update only the records specified on the list against the database on the CDC.
<i>Get List</i> ( <i>CMGetList</i> )	This method, combined with the property described in Section 5.1.1.2, is used to get only the records specified on the list against the database on ADS.

TABLE 5-CLIENT SIDE METHODS FOR SPORTS SCORES API

FIG.21